INDEX

[New names and new combinations are printed in **boldface.**]

A

Abacá, 409.
ABADILLA, QUIRICO A., Geology of the white-clay deposits in Siruma Peninsula, Camarines Sur, Luzon, 227.
Acanthocoryphus Karny, 404, 406.
  brongniarti Karny, 406.
  mindanensis Heb., 404, 406.
Achnanthes hungarica Grun., 467.
  hungarica F. Hustedt, 467.
Acridiidæ and Tettigoniidæ from Luzon, Philippine Islands, 377.
Acridiinæ, 387.
Acridiini, 384.
Acutipula Alex., 83–85, 107–109, 113, 114.
Adraneothrips, 368.
Aeolesthes chrysothrix (Bates) Auriv., 184.
Aerobacter aerogenes, 312.
AFRICA, CANDIDO M., *see* GARCIA and AFRICA.
AFRICA, CANDIDO M., and EUSEBIO Y. GAROIA, Heterophyid trematodes of man and dog in the Philippines with descriptions of three new species, 253; Two more new heterophyid trematodes from the Philippines, 443.
Aglaophis Thoms., 185.
  docemmaculatus Gressitt, 185, 194.
Agraeciinæ, 404.
Aiolopus Fieber, 387.
  tamulus (F.), 387.
ALEXANDER, CHARLES P., New or little-known Tipulidæ from eastern Asia (Diptera), XXV, 81; XXVI, 195.
Amphipoda, 496.
Amphora coffeaeformis Agardh var., 472.
  normani F. Hustedt, 472.
  normani Rabh., 472.
  ovalis F. Hustedt, 472.
  ovalis Kutz., 472.
  ovalis Kutz., var. libyca A. Schmidt, 472.
  ovalis Kutz. var. libyca (Ehr.) Cleve, 472.
  veneta F. Hustedt, 472.
  veneta (Kutz.), 472.
Ananas comosus (Linn.) Merr., 270.
Anaphothrips flavicinctus Karny forma **brachyptera** Pr., 355.
  flavicinctus Karny forma macroptera, 355.
Anastathes Gahan, 193.
  parva Gressitt, 193, 194.
Anguilla mauritiana, 253.
Annatto, 425.
Anona squamosa Linn., 270.
Anopheles, 329, 330, 334, 336, 338, 341–343, 345, 346.
  indefinitus, 329, 332, 333–335, 338, 340–347.
  indefinitus, breeding habits of, in salt-water ponds, 329.
  litoralis, 329, 332–335, 337, 338, 340–347.
  litoralis, breeding habits of, in salt-water ponds, 329.
  philippinensis Ludlow, 333, 341.
  subpictus var. indefinitus, 329.
  vagus, 337.
Antirabic treatment, Pasteur, at the Bureau of Science, Manila, 435.
Antocha (Antocha) **lacteibasis** Alex., 211.
  (Antocha) setigera Alex., 212.
Ao-kenaga-kamikiri, 194.
Apluda mutica Linn., 43.
Apophallus Lühe, 256, 443, 446.
  brevis Ransom, 446, 447.
  crami Price, 446, 447.
  eccentricus Africa and Garcia, 443, 445, 447.
  major Szidat, 446.
  muhlingi (Jägerskiöld) Lühe, 446, 447.
Archæopteryx, 16.
Arctotipula Alex., 83, 84, 85, 116–118.
Ardisia, 366.
Artocarpus integra (Thunb.) Merr., 270.
Ascocotyle pithecophagicola, 253.
Atis, 270.
Atractomorpha Sauss., 391.
  psittacina (De Haan), 391.
Avocado, 270.

B

Bacillus aerogenes, 272.
  coli Durham and Sm., 271, 272, 274.
Bacterial fruitlet rots of the pineapple in the Philippines, control of, 29.
Bacteriological examination of ice drops manufactured in Manila, 269.
Bagokbok, 43.
Baguio, temperature and rainfall of, 412.
Baiera R. Br., 5, 6.

BAISAS, F. E., Notes on Philippine mosquitoes, II: Uranotaenia, 63; Notes on Philippine mosquitoes, III, 167.
Balanak, 262.
Bakerella Bol. 387.
luzonica Bol., 387, 388, 390.
Banak, 262.
Banana, 270.
Barbus vulgaris, 455.
Baybay towns, 237.
Beriberi treatment of human, with crystalline antineuritic vitamin, 277.
BEY-BIENKO, G., Acridiidæ and Tettigoniidæ from Luzon, Philippine Islands, 377.
Bibracte Stål, 398, 400, 401.
backeri Bol., 400.
bimaculata Bey-Bienko, 398, 399, 400.
cristulata Stål, 400.
diminuta Brunner von Wattenwyl, 400.
Binaluacris Willemse, 397.
polychroma Bey-Bienko, 397.
viridis Willemse, 397, 398.
Bixa orellana L., 425.
Bolacothrips jordani Uzel, 359.
orientalis Pr., 359.
Bolotettix Hancock, 380, 382.
luzonicus Bey-Bienko, 380, 381, 382.
perminutus (Bol.), 380, 382.
validispinus Hancock, 380.
Bolothrips Pr. 369, 370, 371.
Breeding habits of Anopheles litoralis and A. indefinitus in salt-water ponds, the, 329.
Brithura Edw., 83, 84, 86, 88, 89, 95.
argyrospila Alex., 89.
conifrons Edw., 87, 90.
fracticosta Alex., 90.
fractistigma Alex., 90, 91.
imperfecta Brun., 89.
nymphica Alex., 89, 90.
sancta Alex., 89, 90.
Buco, 270.
Bugis, 248.
Bukai-kamikiri, 194.

C

Cadlet, 241.
Callichroma accensum Newm., 185.
Callichromini, 185.
Caloneis bacillum F. Hustedt, 468.
bacillum (Grun.) Meresch., 468.
bacillum (Grun.) Meresch. var. truncula Grun. f., 468.
clevei F. Hustedt, 468.
clevei (Lagerst.) Cleve, 468.
silicula (Ehr.) Cleve var. gibberula F. Hustedt, 468.
silicula (Ehr.) Cleve var. gibberula (Kutz.) Grun., 468.
Camellia, 358.
Canned milk, mineral constituents in, 323.
CAPINPIN, JOSÉ M., A genetic study of certain characters in varietal hybrids of the cowpea, 149.
Carbohydrate partition in Philippine rice bran, 289.
Carica papaya Linn., 270.
Casignetæ Brunner von Wattenwyl, 403.
spinicauda Karny, 403.
Cassia occidentalis, 370.
Catantopinæ, 391.
Catantops Schaum, 401.
humilis (Serv.), 401.
splendens (Thunb.), 401.
Cerambycidæ, 181.
Cerambycinæ, 181.
Cerambycini, 184.
Cereopsius Pasc., 189.
praetorius (Erichs.), 189, 194.
Chautomorpha, 335, 345.
sp., 334, 347.
Chara, 335, 336, 347.
Chayote, 410.
Chironomidæ from Japan (Diptera), IV: The early stages of marine midge, Telmatogeton japonicus Tokunaga, 491.
Chloridolum Thoms., 185.
accensum (Newm.), 185, 194.
nympha White, 185.
Chreonoma Pasc., 192.
atritarsis Pic, 192, 194.
fortunei Thoms., 193.
CLARAVALL, SAGRARIO, *see* HERMANO and CLARAVALL.
Cleomenida Schwarzer, 187.
pulchella Gressitt, 187, 194.
setigera Schwarzer, 188.
Cleomenini 187.
Cleostratus Stål, 377.
monocerus Stål, 377.
Clerodendron, 358.
Clunio, 495, 505.
Clytini, 185.
Cocconeis placentula (Ehr.) var. euglyptæ F. Hustedt, 467.
placentula (Ehr.) var. euglypta (Ehr.) Cleve, 467.
Coconut-oil wax, products of, 423.
Cocos nucifera Linn., 270.
Cogon, 409.
grass, 43.
Coleoptera, 181.
Compsothirpini, 369.
Conocephalinæ, 403.
Control of bacterial fruitlet rots of the pineapple in the Philippines, 29.
Corn, 270.
Coryphodonta Bey-Bienko, 404, 406.
ikonnikovi Bey-Bienko, 404, 405.
mindanensis Heb., 404, 406.
COSME, LUZ, *see* MARAÑON and COSME.
Cotilidæ, 262.
Cowpea, a genetic study of certain characters in varietal hybrids of, 149.

Cricothrips Tr., 357.
Criotettix Bol. (Hebard), 380.
perminutus, 380.
Crossotarsi subdepressi, 481, 482.
Crossotarsus decorus, 480.
fractus Samps., 483.
fragmentus Samps., 483.
inimicus Schedl, 482.
inutilus Schedl, 479.
koryoensis Mur., 484.
obtectus, 479, 480.
pernanulus Schedl, 482.
saltator Schedl, 480.
schultzei Schedl, 481.
sexporus Schedl, 484.
squamulatus Chap., 483.
subdepressus, 481.
tayabasi Schedl, 481.
Cryptocotyleæ, 256.
Ctenacroscelis End., 86.
borneensis Brun., 86.
brobdignagia Westw., 86.
carmichaeli Brun., 86.
cinerea Brun., 86.
congruens Walk., 86.
dives Brun., 86.
flava Brun., 86.
flavoides Brun., 86.
fulvolateralis Brun., 86.
fumipennis Brun., 86.
infindens Walk., 86.
majestica Brun., 86.
mikado Westw., 86.
monochroa Wied., 86.
novae-guineae de Meij., 86.
ochripes Brun., 86.
ornatithorax Brun., 86.
pallida Walk., 86.
pilosula van der Wulp, 86.
praepotens Wied., 86.
punctifrons Rondani, 86.
serricornis Brun., 86.
umbrina Wied., 86.
Cucumis melo Linn., 270.
Culex, 167.
(Lophoceratomyia) fraudatrix Theo., 171–173.
(Lophoceratomyia) infantulus Edw., 174.
(Lophoceratomyia) **josephineæ** Baisas, 171, 172.
(Lophoceratomyia) mammilifer Leic., 174.
(Lophoceratomyia) **mindanaoensis** Baisas, 168, 169–171.
(Lophoceratomyia) minutissimus, 174.
(Lophoceratomyia) **nolledoi** Baisas, 170.
(Lophoceratomyia) **pachecoi** Baisas, 171.
(Mochthogenes) **chiyutoi** Baisas, 175.
(Mochthogenes) **laureli** Baisas, 176.
(Mochthogenes) **yeageri** Baisas, 175.
(Neoculex) brevipalpis Giles, 177.
Cyclops, 454.
bicolor Sars, 454.
brevispinosus, 454.
prasinus, 454.
serrulatus Fisch., 454.
strenuus, 454.
Cyclotella meneghiniana Kutz., 465.
meneghiniana Kuts. var. tenera Kolbe, 465.
stelligera Cleve and Grun., 466.
stelligera F. Hustedt, 466.
Cylindrotominæ, 206.
Cymbella tumida F. Hustedt, 473.
tumida (Breb.) V. Heurck, 473.
tumida (Breb.) V. Heurck var. borealis Grun., 473.
turgida F. Hustedt, 473.
turgida (Greg.) Cleve, 473.
ventricosa F. Hustedt, 473.
ventricosa Kutz., 473.
Cyprinidæ, 262.
Cyprinus carpio, 454, 455.
Czekanowskia Hr., 5.

D

Darak, 289.
Dendrobium anosmum Lindl., 459.
Dendrothrips **minowai** Pr., 353.
Diaptomus, 454.
gracilis, 454.
oregonensis, 454.
Diatoms from Poyan Lake, Hunan, China, 465.
Diorchitrema, 253, 262.
pseudocirrata Witenberg, 253, 262, 264, 453.
sp., 262, 263.
Dioscorea alata Linn., 270.
Diospyros discolor (R. Takah.), 363.
flavipes (Mlt.), 363.
Diotarus Stål, 378.
ikonnikovi Bey-Bienko, 378.
pupus Bol., 378, 379.
Diphyllobothrium, 452, 453.
decipiens, 454.
erinacei, 454.
latum, 452, 453, 454, 455.
latum (Linnæus, 1758) Lühe, 1910, in a native Filipino, 451.
mansoni Cobb., 451, 454.
sp., 451.
Diptera, 81, 195, 491.
Dipylidium, 451.
Disteniini, 181.
Dogs, heterophyid trematodes of, in the Philippines, 253.
Dolichopeza, 101, 102.
Dolichothrips citripes Bagn., 363.
indicus (Hood), 363.
longicollis Karny, 363.
macarangai (Mlt.), 363.
ochripes Karny, 363.
pumilus Pr., 362, 364.

Dolichothrips—Continued.
(Dolicholepta) giraffa Karny, 363.
(Dolicholepta) jeanneli Bagn., 363.
(Dolicholepta) Karnyi Faure, 363.
(Dolicholepta) micrurus (Bagn.), 363.
(Dolicholepta) varipes Bagn., 363.
Ducetia Stål, 403.
japonica Thunb., 403.
Duckweed, 336.
Dumagats of Famy, 235.

E

Echinostoma ilocanum Garrison, 253.
Elaphrothrips amoenus Pr., 373.
fulmeki Pr., 373.
takahashii Pr., 372.
Entamoeba histolytica, 264.
Enteromorpha compressa, 495.
intestinalis, 495.
tubulosa, 335, 347.
Eoscyllina Rehn, 387, 390.
inexpectata Rehn, 387, 388.
luzonica (Bol.), 388, 390.
Eothrips, 370.
Epithemia turgida (Ehr.) var. granulata F. Hustedt, 474.
turgida (Ehr.) Kutz. var. granulata (Ehr.) Grun., 474.
zebra (Ehr.) Kutz. var. saxonica F. Hustedt, 474.
zebra (Ehr.) Kutz. var. saxonica (Kutz.) Grun., 474.
Erianthus Stål, 387.
erectus Karsch, 387.
Erioptera (Psiloconopa) bifurcata Alex., 222, 223.
(Psiloconopa) propensa Alex., 222.
Eriopterini, 215.
Erwinia ananas Serrano, 30, 43.
Escherichia coli, 312.
communior, 312.
Esox lucius, 455.
Euanerota Karny, 403.
furcifera (Stål), 403.
EUBANAS, FROILAN, *see* HERMANO and EUBANAS.
Eucoptacra Bol., 401.
cyanoptera (Stål), 401.
Eugavialidium Hancock, 379.
aurivillii (Bol.), 379.
Eumastacinæ, 386.
Eunotia lunaris F. Hustedt, 467.
lunaris (Ehr.) Grun., 467.
Euparatettix Hancock, 382.
similis Hancock, 382.
Euparyphium ilocanum, 254.
Euthymia, 391.
Euthymiæ, 391.

F

Fascioletta ilocanum, 253.
Ficus sp., 482, 486, 488.
Formotipula Mats., 83, 84, 86, 103, 104.
holoserica Mats., 103.
Fragilaria capucina Desm., 466.
capucina F. Hustedt, 466.
Fresh milk, mineral constituents in, 323.
Frogbit, 347.
Fruitlet rots of the pineapple in the Philippines, 29.
Futo-higenaga-kamikiri, 194.
Futo-hoshi-kamikiri, 194.

G

Gaogao, 270.
GARCIA, EUSEBIO Y., *see* AFRICA and GARCIA.
GARCIA, E. Y., and C. M. AFRICA, Diphyllobothrium latum (Linnæus, 1758) Lühe, 1910, in a native Filipino, 451.
GARCIA, ONOFRE, *see* ROSARIO-RAMIREZ and GARCIA.
Gastrimargus Sauss., 391.
marmoratus (Thunb.), 391.
marmoratus var. transversus Thunb., 391.
Genetic study of certain characters in varietal hybrids of the cowpea, 149.
Geology of the white-clay deposits in Siruma Peninsula, Camarines Sur, Luzon, 227.
Gerenia Stål, 401.
Gerista Bol., 396.
Gerunda Bol., 396.
Ginkgo L., 2, 5–7, 12, 17, 19, 21, 22.
adiantoides, 2, 6, 7–11.
adiantoides Ung. sp. em. Shaparenko, 12, 14–19, 21.
adiantoides (Ung.) Hr.; contemporary and fossil forms, 1.
biloba Linn., 2–6, 9, 10.
cuneata Schmalh., 6.
digitata (Brgn.) Hr., 6, 7.
integriuscula Hr., 6, 7, 12.
laramiensis Ward, 9–13.
marienensis Ren., 6.
primordialis Hr., 6, 12.
reniformis Hr., 6, 8, 9, 12, 13.
Ginkgoales, 5, 6.
Ginkgopsis 6.
Glenea Newm., 190, 191.
chrysomaculata Schwarzer, 191.
lata Gressitt, 191, 194.
luteicolle Gressitt, 190, 194
Gleneini, 190.
Glochidion, 353.
Glycerinated rinderpest vaccine stored at room temperature, 427.
Gomphonema acuminatum var. sinica, 465.
acuminatum Ehr. var. turris A. Schmidt, 474.
acuminatum Ehr. var. sinica Skv., 474.
acuminatum Ehr. var turris (Ehr.) Cleve, 474.
augur Ehr., 474.
augur F. Hustedt, 474.

Gomphonema—Continued.
constrictum Ehr. var. capitata F. Hustedt, 474.
constrictum Ehr. var. capitata (Ehr.) Cleve, 474.
intricatum F. Hustedt, 473.
intricatum Kutz., 473.
lanceolatum Ehr., 474.
lanceolatum A. Schmidt, 474.
parvulum F. Hustedt, 473.
parvulum (Kutz.) Grun., 473.
parvulum (Kutz.) Grun. var. lagenula V. Heurck, 473.
parvulum (Kutz.) Grun. var. lagenula (Kutz. Grun.) Hust., 473.
parvulum (Kutz.) Grun. var. subelliptica Cleve, 473.
parvulum (Kutz.) Grun. var. subelliptica F. Hustedt, 473.
Gonomyia (Gonomyia) **bibarbata** Alex., 220.
(Gonomyia) **foliacea** Alex., 221.
(Gonomyia) longifimbriata Alex., 220.
(Ptilostena) **longipennis** Alex., 219.
(Ptilostena) teranishii Alex., 219.
Gossypium (M. Maki), 370.
Grammatophyllum scriptum (Linn.) Blm., 461.
speciosum Blm., 461.
Grayling, 455.
GRESSITT, J. LINSLEY, New species and records of longicorns from Formosa (Coleoptera: Cerambycidæ), 181.
Gulaman, 301.
Gymnastes, 195.
(Gymnastes) cyanea Edw., 216, 217.
(Gymnastes) **omeicola** Alex., 216.
(Gymnastes) violacea Brun., 217.
(Paragymnastes) **mckeani** Alex., 217.
(Paragymnastes) nigripes Edw., 217.
Gyrosigma acuminatum F. Hustedt, 468.
acuminatum (Kutz.) Rahb., 468.

H

Hantzschia amphioxys (Ehr.) Grun. var. xerophila Grun., 476.
Haplorchinæ, 253.
Haplothrips **allii** Pr., 367.
anguilarum 253.
apicalis Bagn., 368.
chinensis Pr., 367.
chinensis Pr. var. montivagus Pr., 366.
dentatus Pr., 366.
fumipennis Pr., 367.
gowdeyi Frkl., 367.
hadrocerus (Karny), 366.
(Odontoplothrips) **dentifer** Pr., 365.
Hedotettix Bol., 386.
gracilis de Haan, 386.
guibelondoi Bol., 386.
sp., 386.
Hemadius Fairm., 184.
oenochrous Fairm. 184, 194.
Heptopleurum (R. Takah.), 360.
Hercinothrips errans (Williams), 351.
HERMANO, A. J., and FROILAN EUBANAS, The treatment of human beriberi with crystalline antineuritic vitamin, 277.
HERMANO, A. J., and SAGRARIO CLARAVALL, Mineral constituents in fish and canned milk, 323.
Heterophyea, 256.
Heterophyes, 253, 255–257, 260, 453.
aequalis Looss, 255, 258.
brevicæca Africa and Garcia, 253, 254, 257, 258, 260, 263, 264.
dispar Looss, 255, 258.
expectans Africa and Garcia, 253, 254, 256, 258, 263, 264, 443.
heterophyes Sieb., 255, 258.
katsuradai Osaki and Azada, 255.
nocens Onji and Nishio, 255.
Heterophyid trematodes of man and dog in the Philippines with descriptions of three new species, 253.
Heterophyidæ Odhner, 253, 255, 256, 264, 443, 447.
Heterophyinæ, 253.
Heteropternis Stål, 391.
respondens (Walk.) 391.
Hexatoma (Eriocera) caesarea (Alex.), 213.
(Eriocera) **iriomotensis** Alex., 213.
(Eriocera) **ishigakienssi** Alex., 212.
(Eriocera) kelloggi (Alex.) 213.
(Eriocera) mesopyrrha, 212, 213.
(Eriocera) sauteriana (End.), 214, 215.
Hexatomini, 212.
Hilot, 246.
Hoodiellæ, 375.
Hori-shiro-heri-kamikiri, 194.
Hoshi-nashi-kamikiri, 194.
Human beriberi, treatment of, with crystalline antineuritic vitamin, 277.
Hydatothrips Karny, 353.
Hydrocharitaceæ, 335, 347.
Hymenolepis, 451.
Hymenotes Westw., 378.
bolivari, 378.
triangularis Westw., 378.

I

Ice drops manufactured in Manila, 269.
Ikonnikovia Bey-Bienko, **391.**
philippina Bey-Bienko, **393.**
Ilisia rondani, 223.
Imperata cylindrica (Linn.), 409.
cylindrica (Linn.) Beauv., 43.
Indotipula Edw., 82–86, 112–114.
Isopoda, 496.

K

Kaingins, 237.
Ki-madara-kamikiri, 194.

KING, W. V., and F. DEL ROSARIO, The breeding habits of Anopheles litoralis and A. indefinitus in salt-water ponds, 329.
Koto-futo-kamikiri, 194.
Kubo, 411.
Kulibao, 247.
Kundiman, 247.

L

Lamia praetoria Erich., 189.
Lamiinæ, 188.
Lechias, 270.
Leeuwenia, 375.
coriacea Bagn., 375.
eugeniæ Bagn., 375.
pugnatrix Pr., 373.
seriatrix Karny, 375.
Lemna sp., 336.
Lepidaplois mesothorax, 253.
Lepoderma Looss, 254.
Limonia monostromia Tokunaga, 493.
(Dicranomyia) basiseta (Alex.), 210.
(Dicranomyia) trifilamentosa Alex., 492.
(Dicranomyia) **veternosa** Alex., 208, 209.
(Limonia) kashmirica Edw., 208.
(Limonia) **prudentia** Alex., 207.
(Limonia) synempora Alex., 208.
(Rhipidia) **monoctenia** Alex., 210, 211.
(Rhipidia) siberica (Alex.), 211.
(Rhipidia) uniseriata, 210.
Limoniinæ, 86, 207.
Limoniini, 207.
Liothrips, 360.
heptapleurinus Pr., 360, 361.
hradencensis Uzel, 362.
kingi Bagn., 361.
longirostris Karny, 361.
malloti Mlt., 361.
oleae (Costa), 361, 362.
piperinus Pr., 361.
seticollis Karny, 362.
Litchi chinensis Sonn., 270.
Lithocarpus (R. Takah.), 375.
Longicorns from Formosa, 181.
Lophoceratomyia, 167.
Lota maculosa, 455.
vulgaris, 455.
Loxilobus Hancock, 382.
Lunatipula Edw., 83–85, 95, 118, 121, 130–131.
Lyngbya aestuarii, 335, 336, 347.
confervoides, 336.
majuscula, 335, 345, 347.

M

Macapuno, 270.
MACEDA, GENEROSO S., The Dumagats of Famy, 235.
Male, 247.
Mammifera, 16.
Man, hetorophyid trematodes of, in the Philippines, 253.
Mangifera indica Linn., 270.
Mango, 270.
Manihot utilissima Pohl, 270.
Manila, temperature and rainfall of, 412.
MARAÑON, JOAQUIN, and LUZ COSME, The nitrogen distribution and carbohydrate partition in Philippine rice bran, 289.
Marmoratae, 118, 121.
Melania oblique-granosa (Sm.), 262.
reiniana var. hidachiens, 262.
Melon, 270.
Melosira distana (Ehr.) F. Hustedt, 466.
distana (Ehr.) Kutz., 466.
granulata F. Hustedt, 466.
granulata (Ehr.) Ralfs, 466.
granulata (Ehr.) Ralfs forma curvata Grun., 466.
granulata (Ehr.) Ralfs forma curvata F. Hustedt, 466.
granulata (Ehr.) Ralfs var. angustissima F. Hustedt, 466.
granulata (Ehr.) Ralfs var. angustissima O. Mull., 466.
Methylene blue reduction test: its efficiency and interpretation under Philippine conditions, 295.
Mezentia Stål, 391, 393.
Microlistrum, 256.
Milk, mineral constituents in fresh and canned, 328.
Miller's thumb, 455.
Mineral constituents in fresh and canned milk, 323.
Mirollia Stål, 401.
cincticornis Karny, 401.
Misythus Stål, 378.
cristicornis (Walk.), 378.
ensatrix (Walk), 378.
Mnesicles Stål, 386.
crassipes Karsch, 386.
furcatus Sauss., 386.
novaeguineae Bol., 386.
Mochthogenes, 167.
Molophilus crassulus Alex., 224.
gracilis, 223.
inimicus Alex., 223, 224.
Mongo beans, 279.
Monochamini, 188.
Monochamus Guer., 188, 189.
flocculatus Gressitt, 188, 194.
Monorchotrema Nishigori, 253, 261, 263, 443–445.
calderoni Africa and Garcia, 443, 445, 447.
microrchia Katsuta, 445.
taichui Nishigori, 253, 262, 264, 443, 445, 453.
taihokui Nishigori, 253, 262–264, 443, 445, 453.
yokogawai Katsuta, 445.
sp., 261, 263.
Monostroma sp., 492, 495.

Mosquitoes, Philippine, 167.
Mugil, 262, 263.
Multituberculata, 16.
Musa sapientum Linn., 270.
textilis Née, 409.
Musha-miyama-kamikiri, 194.

N

Naname-suji-kamikiri, 194.
Nangka, 270.
Navicula americana Ehr., 470.
americana F. Hustedt, 470.
cryptocephala F. Hustedt, 470.
cryptocephala Kutz., 470.
cryptocephala Kutz. var. exilis F. Hustedt, 470.
cryptocephala Kutz. var. exilis (Kutz.) Grun., 470.
cuspidata F. Hustedt, 470.
cuspidata Kutz., 470.
exigua (Greg.) O. Mull. var. **sinica** Skv., 465, **469.**
hungarica Grun. var. capitata F. Hustedt, 469.
hungarica Grun. var. capitata (Ehr.) Cleve, 469.
lambda, 469.
lambda Cleve var. sinica Skv., 465, 469.
menisculus Schumann var. **sinica** Skv., 465, 470.
pupula F. Hustedt, 469.
pupula Kutz., 469.
pupula Kutz. var. capitata Hust., 469.
pupula Kutz. var. rostrata Hust., 469.
Neidium affine (Ehr.) Cleve var. amphirhynchus F. Hustedt, 467.
affine (Ehr.) Cleve var. amphirhynchus (Ehr.) Cleve, 467.
hitchcockii Ehr. var. **oblique-striatum** Skv., 465, 468.
productum F. Hustedt, 468.
productum (W. Smith) Cleve, 468.
Neocerambyx batesi Har., 184.
chrystothrix (Bates), 184.
mushaensis Kano, 184.
stötzneri Hllr., 184.
Neoculex, 167.
Neoheegeria indica Hood, 363.
Neohydatothrips John, 353.
latereostriatus John, 353.
Neolimnophila **perreducta** Alex., 215.
picturata Alex., 216.
Neosmerinthothrips Schm., 365, 369, 370.
formosensis Pr., 368, 369, 370.
formosensis var. karnyi var. nov., 369, 370.
fractuum Schm., 369, 370.
xylebori Pr., 370.
Nephropsis, 6.
Nephrotoma Meig., 133, 200.
attenuata Alex., 135.
biarmigera Alex., 198, 200.

Nephrotoma—Continued.
biformis Alex., 142.
caudifera Alex., 203, 204.
citrina Edw., 200.
decrepita Alex., 140.
definita Alex., 202.
distans, 138.
erebus Alex., 143.
evittata Alex., 200.
flammeola Alex., 204.
immemorata Alex., 139.
impigra Alex., 137, 138, 200, 201.
ligulata Alex., 140, 206.
nigricauda Alex., 200.
nigrostylata Alex., 204, 206.
omeiana Alex., 144.
palloris (Coq.), 144, 145.
parva (Edw.), 203.
parvirostra Alex., 206.
pilata Alex., 138.
retenta Alex., 133, 137.
sinensis (Edw.), 145.
subpallida Alex., 204.
New Era, 150.
or little-known oriental thysanoptera, 351.
or little-known Tipulidæ from eastern Asia (Diptera), XXV, 81; XXVI, 195.
species and records of longicorns from Formosa (Coleoptera: Cerambycidæ), 181.
Niphocerambyx Mats., 184.
chrysothrix (Bates) Matsush., 184.
Nippotipula Mats., 83, 91, 92, 95, 118.
nubifera Coq., 91.
Nito, 240.
Nitrogen distribution and carbohydrate partition in Philippine rice bran, 289.
Nitzschia acicularis F. Hustedt, 476.
acicularis W. Smith, 476.
amphibia Grun., 475.
amphibia F. Hustedt, 475.
bremensis, 475.
bremensis Hust. var. **sinica** Skv., 465, 475.
capitellata Hust., 476.
fasciculata Grun., 475.
fasciculata V. Heurck, 475.
frustulum (Kutz.) Grun. var. perpusilla V. Heurck, 475.
frustulum (Kutz.) Grun. var. perpusilla (Rabh.) Grun., 475.
palea F. Hustedt, 475.
palea (Kutz.) W. Smith, 475.
palea (Kutz.) W. Smith var. **gracilis** Skv., 465, 476.
paleacea Grun., 475.
paleacea F. Hustedt, 475.
Noemia Pasc., 181.
incompta Gressitt, 181, 194.
Notes on Philippine mosquitoes, II: Uranotaenia group, 63.
on Philippine mosquitoes, III, 167.

O

Ochrilidiæ, 387.
Oedipodinæ, 390.
Oemini, 182.
O-midori-kamikiri, 194.
Oplatocera White, 182.
oberthuri Gahan, 182, 194.
Orchestia, 495.
Onchorhynchus perryi, 455.
Orchids, Philippine, teratology of, 459.
Oreomyza Pokorny, 83–86, 118, 120–122, 125.
glacialis Pokorny, 121.
Ormosia diplotergata Alex., 222.
fugitiva Alex., 222.
machidana Alex., 222.
takeuchii Alex., 222.
Oriza sativa Linn., 270.
Orthoptera, 377.
Oxya Serv., 394.
intricata Stål, 394.
Oxyae, 394, 395.
Oxythrips, 357.

P

Paayap, 149.
Pachyrrhina Macq., 133.
Painot, 243.
Papaya, 270.
Paphiopedilum argus (Reichb. f.) Stein., 459.
Papuatipula Alex., 83, 85, 114, 115.
Paracladura, 195.
elegans Brun., 196.
gracilis Brun., 197.
omeiensis Alex., 197.
Paraclunio, 492, 497, 505.
alaskensis Coq., 492, 497, 498, 506.
Paratettix Bey-Bienko, 385.
Bol., 382.
angulobus Hancock, 385.
palpatus Bey-Bienko, 382.
platynotus Bey-Bienko, 384, 385.
Parracilia Willemse, 397.
luzonica Willemse, 397.
Paspalum vaginatum, 336.
Pasteur antirabic treatment at the Bureau of Science, Manila, the, 435.
Perakia Ramme, 393.
Percæ fluviatilis, 455.
Perch, 455.
Persea americana Mill., 270.
Phalacrocera, 195.
formosae Alex., 207.
megacauda Alex., 207.
mikado Alex., 207.
minuticornis Alex., 206, 207.
Phalaenopsis, 460.
aphrodite, 459.
equestris, 460.
equestris (Schauer) Reichb. f., 459.
lueddemanniana, 460.
sanderiana Reichb. f., 460.
schilleriana, 459.
Phaneropterinæ, 401.
Phaseolus aureus, 279.
Phaula Brunner von Wattenwyl, 403.
phaneroptervides Brunner von Wattenwyl, 403.
Philippine heterophyid trematodes, 253, 443.
mosquitoes, 63, 167.
orchids, 459.
Phlaeothripidæ, 360.
Phyllomimus detersus (Walk.), 403.
Physothrips flavus Bagn., 358.
Phytomonas ananas Serrano, 29, 30, 43.
Pike, 455.
sand, 455.
Piña, 270.
Pineapple in the Philippines, control of bacterial fruitlet rots of, 29.
Pinipig (toasted rice), 270.
Pinkian, 244.
Pinus insularis Endl., 486.
Pinnularia braunii (Grun.) Cleve var. amphicephala F. Hustedt, 472.
braunii (Grun.) Cleve var. amphicephala (A. Mayer) Hust., 472.
dactylus Ehr., 472.
gibba Ehr., 471.
gibba F. Hustedt, 471.
gibba Ehr. forma subundulata F. Hustedt, 472.
gibba Ehr. forma subundulata Mayer, 472.
interrupta W. Smith forma hankensis Skv., 471.
interruptæ W. Smith var. sinica Skv., 465, 471.
platycephala (Ehr.) Cleve f., 470.
platycephala Cleve var. hattorianæ Meister, 470.
subcapitata Greg. var. paucistriata Grun., 471.
subcapitata Greg. var. paucistriata V. Heurck, 471.
subcapitata Greg. var. sinica Skv., 465, 471.
subsolaris F. Hustedt, 471.
subsolaris (Grun.) Cleve, 471.
subsolaris (Grun.) Cleve var. interrupta Skv., 465, 471.
viridis A. Schmidt, 471.
viridis (Nitzsch.) Ehr., 471.
Piper, 362.
Pithecopaga jefferyi, 253.
Pithophora sp., 336.
Plagiorchis Luehe, 254.
Platypalpus, 384.
sp., 384.
Platypi antennati, 487.
dorso-sulcati, 486.
sulcati, 486.
Platypodidæ and Scolytidæ: New species from the Philippine Islands and Formosa, 479.

Platypus aduncus Chap., 481.
curtus Chap., 488.
douei Chap., 485.
excedens Chap., 487.
luzonicus Schedl, 485, 486.
nocuus Schedl, 487.
setaceus Chap., 484, 486.
tenellus Schedl., 485.
Plectrothrips atactus Hood, 372.
corticinus Pr., 371, 372.
collaris Bagn., 372.
pallipes Hood, 372.
uncilumbis (Karny), 372.
Polygonum (R. Takah.), 367.
Polyprobodontia, 16.
Porphyra capensis, 493.
vulgaris, 493.
PRIESNER, H., New or little-known oriental Thysanoptera, 351.
Prionocera Loew, 131.
altivolans Alex., 133.
indica Edw., 133.
lætipennis Alex., 131, 133.
Products from coconut-oil wax, 423.
Prosthetophymae Bol., 388, 390.
Protozoa, 264.
Pseudaeolesthes Plavils., 184.
chrysothrix (Bates), 184, 194.
Pseudogerunda Bey-Bienko, 394.
willemsei Bey-Bienko, 395, 396.
Pseudophyllinæ, 403.
Pseudouranotaenia parangensis, 63.
Psygmophyllum Kolderupii Nathorst, 1.
Kiltorkense Johnson, 1.
Psilocanopa Zetterstedt, 223.
Ptychoptera, 195.
clitellaria Alex., 195, 196.
Ptychopteridæ, 195.
Pugahan, 243.
Pyrgomorphinæ, 391.

Q

QUISUMBING, EDUARDO, Teratology of Philippine orchids, II, 459.

R

Reduction test, methylene blue, 295.
Results of the bacteriological examination of ice drops manufactured in Manila, 269.
Rhæbothrips lativentris Karny, 370.
Rice bran, Philippine, 289.
Rinderpest vaccine, glycerinated, 427.
Rhopalodia gibba (Ehr.) O. Mull. var. ventricosa F. Hustedt, 475.
gibba (Ehr.) O. Mull. var. ventricosa (Ehr.) Grun., 475.
ROSARIO, F. DEL, *see* KING *and* DEL ROSARIO.
ROSARIO-RAMIREZ, TERESA V., and ONOFRE GARCIA, Results of the bacteriological examination of ice drops manufactured in Manila, 269.
ROSELL, D. Z., *see* ARGUELLES and ROSELL.
ROSELL, D. Z., and A. S. ARGUELLES, The soil of Tagaytay Ridge, Cavite, 409.
Rossicotrema donicum Skrjabin, 446.
donicum, 447.
Rubia cordifolia, 362.

S

Saccharum spontaneum Linn., 409.
Salibusria, 2.
Salisburia adiantifolia, 2.
adiantoides Ung., 2, 7, 12, 14.
borealis Hr., 7, 8, 12, 13.
primordialis, 9.
Procaccinii Massalongo and Scarabelli, 12, 14.
Salmo umbla, 455.
Salmon, 455.
Salomona Blanch., 404.
Salt grass, 336.
Scaphanocephalus adamsi, 253.
Scelimena Serv., 379.
india Hancock, 379.
producta Serv., 379.
SCHEDL, KARL E., Scolytidæ and Platypodidæ: New species from the Philippine Islands and Formosa, 479.
Schummelia Edw., 83–86, 101, 102.
Scolytidæ and Platypodidæ: New species from the Philippine Islands and Formosa, 479.
Scyllinæ, 388, 390.
Sechium edule S. W., 410.
Sericothrips, 353.
circumfusus Pr., 353.
occipitalis Hood, 353.
ramaswamiahi (Karny), 352, 353.
tabulifer Pr., 351.
SERRANO, F. B., Control of bacterial fruitlet rots of the pineapple in the Philippines, 29.
SHAPARENKO, K., Ginkgo adiantoides (Ung.) Heer; contemporary and fossil forms, 1.
Siluridæ, 262.
Sinotipula Alex., 83, 85, 94, 95, 118.
Siruma Peninsula, Camarines Sur, Luzon, white-clay deposits in, 227.
Sitao, 149.
SKVORTZOW, B. W., Diatoms from Poyang Lake, Hunan, China, 465.
Smerinthothrips Schm., 360, 365.
ficarius (Pr.), 362.
heptapleuri (Karny), 360.
kannani (Moulton), 362, 365.
moultoni (Ram.), 365.
rubiae (MS), 362.
vitivorus Pr., 364.
Soil of Tagaytay Ridge, Cavite, the, 409.
Spathoglottis plicata Blm., 461.
Spirogyra, 336.

Stauroneis anceps Ehr. forma gracilis F. Hustedt, 469.
anceps Ehr. forma gracilis (Ehr.) 469.
phoenicenteron Ehr., 468.
phoenicenteron F. Hustedt, 468.
Stictodora, 253, 261.
manilensis Africa and Garcia, 253, **260**, 261, 263, 264.
sawakinensis Looss, 261.
Stizosctedium canadense griseum, 455.
vitreum, 455.
Streptococcus lactis, 312.
Stygeropis Loew, 131.
Subing, 247.
Surirella angustata Kutz., 476.
angustata A. Mayer, 476.
Synedra pulchella Kutz. var. lanceolata F. Hustedt, 467.
pulchella Kutz. var. lanceolata O. Meara, 467.
rumpens Kutz. var. scotica Grun., 467.
rumpens Kuts. var. scotica F. Hustedt, 467.
rumpens Kutz. var. **sinica** Skv., 465, **467**.
ulna (Nitzsch.) Ehr., 466.
ulna (Nitzsch.) F. Hustedt, 466.
ulna (Nitzsch.) Ehr. var. biceps F. Hustedt, 467.
ulna (Nitzsch.) Ehr. var. biceps Kutz., 467.
vaucheriae Kutz. var. truncatæ (Grev.) Grun., 466.
vaucheriae Kutz. var. truncata (Grev.) F. Hustedt, 466.

T

Tænia, 261, 451.
Tæniothrips, 357, 358.
alticola (MS), 355, 356.
biarticulata, 358.
major Bagn., 355.
montivagus (MS), 355, 356.
oreophilus Pr., 355.
picipes Zett., 355, 356.
sulfuratus Pr., 358.
(Cricothrips) smithi Zimm., 356.
(Physothrips), 358.
Tagaytay Ridge, Cavite, temperature and rainfall of, 412; the soil of, 409.
Taiwan-hoso-kamikiri-(mushi), 194.
Taiwan-ruri-kamikiri, 194.
Talahib, 409.
Talilong, 262.
TANCHICO, SIMEONA SANTIAGO, Products from coconut-oil wax, 423.
Tanytarsus boodleæ Tokunaga, 493.
minor, 493.
sanctipauli, 493, 494.
Tapiena Bol., 401.
cerciata Hebard, 401, 403.
stylata Bey-Bienko, **401**, 402.
Tefrinda Bol., 379.
palpata (Stål), 379.
Telmatogeton Schiner, 491, 493, 497, 505.
abnorme Terry, 491.
japonicus Tokunaga, 491, 495–497, 505.
minor Kieff., 491, 497, 505.
sanctipauli Schin., 491, 497, 505.
simplicipes Edw., 491.
torrenticolæ Terry, 491, 492, 497, 499.
trochanteratum Edw., 491.
Teratology of Philippine orchids, II, 459.
Tetraopini, 192.
Tetriginæ, 377, 384.
Tettigoniidæ, 377, 401; from Luzon, Philippine Islands, 377.
Teucholabis (Teucholabis) **iriomotensis** Alex., 218.
(Teucholabis) yezoensis Alex., 219.
Thripidæ, 351.
Thrips flavus (Schrk.), 358.
Thymallus vulgaris, 455.
Thysanoptera, 351.
oriental, 351.
Tikitiki, 289.
Tipula Linn., 81–86, 106–108.
Lackschewitz, 106.
anastomosa Edw., 92.
argyrospila Alex., 87, 88.
besselsi O. S., 116.
blastoptera Alex., 85.
brobdignagia Westw., 86.
borneensis Brun., 86.
brunnicosta Brun., 85.
carmichaeli Brun., 86.
cinerea Brun., 86.
cisalpina Riedel, 117.
congruens Walk., 86.
conifrons Edw., 88.
conjuncta Alex., 85.
conquilleti End., 91–93.
crassa Edw., 88.
dives Brun., 86.
elegans Brun., 86.
exquisita Alex., 94.
filicornis Brun., 85.
flava Brun., 86.
flavescens Brun., 86.
flavicosta Alex., 85.
flavoides Brun., 86.
flavothorax Brun., 85.
formosicola Alex., 85.
fracticosta, 87.
fractistigma Alex., 87, 88.
fulvolateralis Brun., 86.
fumipennis Brun., 86.
gaboonensis Alex., 108.
gressitti Alex., 86.
halteroptera Edw., 86.
hingstoni Edw., 86.
imperfecta Brun., 87, 88, 90.
infindens Walk., 86.
inordinans Walk., 86.
japonica Loew., 86.
lackschewitziana Alex., 85.
lateralis Laksch., 107.

Tipula—Continued.
ligulifera Alex., 86.
longicornis Dol., 86.
lunata Linn., 130.
majestica Brun., 86.
marmoratipennis, 85, 95.
mikado Westw., 86.
mitocera Alex., 85.
monochroa Wied., 86.
nigrinervis Edw., 86.
nigrocostata Alex., 86.
nova Walk., 107.
novæ-britannicæ Alex., 114.
novæ-guineæ de Meij., 86.
nubifera Coq., 92.
nymphica Alex., 87, 88.
ochripes Brun., 86.
oleraceæ Linn., 106.
ornatithorax Brun., 86.
oropezoides Johnson, 101.
pallida Walk., 86.
parva Loew, 86.
perelegans Alex., 86.
phaedina, 83, 92.
pilosula van der Wulp, 86.
pluto Brun., 86, 104.
polytricha, 101.
praepotens Wied., 86.
pulcherrima Brun., 92.
pullimargo Edw., 85.
punctifrons Rondani, 86.
sakaguchianæ Alex., 86.
sancta Alex., 87, 88.
schummeli Brun., 86.
serricornis Brun., 86.
sinica, 92.
susurrans Edw., 92.
tjibodensis Alex., 86.
tricolor, 107.
tropica de Meij., 86.
tundrensis, 117.
umbrina Wied., 86.
variicornis Schummel, 101.
walkeri Brun., 112.
xanthomalæna Edw., 86.
xanthostigma Edw., 92.
(Acutipula) Alex., 108.
(Acutipula) Edw., 108.
(Acutipula) acanthophoræ Alex., 109.
(Acutipula) alboplagiata Alex., 108, 109.
(Acutipula) atuntzuensis Edw., 109.
(Acutipula) bipenicillata Alex., 108, 109.
(Acutipula) biramosa Alex., 108, 109.
(Acutipula) **bistyligera** Alex., 109, **111.**
(Acutipula) brunnirostris Edw., 109.
(Acutipula) bubo Alex., 109.
(Acutipula) captiosa Alex., 109, 112.
(Acutipula) cockerelliana Alex., 109.
(Acutipula) de meijerei Edw., 110.
(Acutipula) desidiosa Alex., 109.
(Acutipula) dicladura Alex., 108, 109.
(Acutipula) fumicosta Brun., 109.

Tipula—Continued.
(Acutipula) fumifascipennis Brun., 109.
(Acutipula) fuscinervis Brun., 109.
(Acutipula) graphipteræ Alex., 109–111.
(Acutipula) incorrupta Alex., 109.
(Acutipula) intacta Alex., 109.
(Acutipula) interrupta Brun., 109.
(Acutipula) jacobsoni Edw., 110.
(Acutipula) kuzuensis Alex., 109.
(Acutipula) latifasciata Alex., 109.
(Acutipula) megaleuca Alex., 109.
(Acutipula) **melampodia** Alex., 109, **110.**
(Acutipula) munda Brun., 108, 109.
(Acutipula) nigrotibialis Brun., 109.
(Acutipula) obtusiloba Alex., 108, 109.
(Acutipula) omeiensis Alex., 109.
(Acutipula) oncerodes Alex., 108, 109.
(Acutipula) pertinax Alex., 109, 112.
(Acutipula) platycantha Alex., 108, 109.
(Acutipula) princeps Brun., 109.
(Acutipula) pseudofulvipennis de Meij., 109.
(Acutipula) quadrinotata Brun., 109, 110.
(Acutipula) robusta Brun., 109.
(Acutipula) saitamæ Alex., 108, 109.
(Acutipula) shirakii Edw., 109.
(Acutipula) subturbida Alex., 109.
(Acutipula) tokionis Alex., 108, 109.
(Acutipula) turbida Alex., 109.
(Acutipula) umbrinoides Alex., 110.
(Acutipula) vana Alex., 109.
(Acutipula) vicaria Walk., 109.
(Acutipula) yunnanica Edw., 109.
(Arctotipula) Alex., 116.
(Arctotipula) gavronskii Alex., 117.
(Arctotipula) hirtitergata Alex., 117.
(Arctotipula) popoffi Alex., 117.
(Arctotipula) tundrensis Alex., 117.
(Brithuræ) Edw., 86.
(Brithura) **argyrospila** Alex., 88.
(Brithura) **fracticosta** Alex., 90.
(Brithura) imperfecta Brun., 90.
(Brithura) nymphica (Alex.) 89.
(Cinctotipula) Alex., 100.
(Formotipula) Edw., 103.
(Formotipula) cinereifrons de Meij., 104.
(Formotipula) dikchuensis Edw., 103, 104.
(Formotipula) dusun Edw., 104.
(Formotipula) exusta Alex., 104.
(Formotipula) **friendrichi** Alex., 103, 104, **105**, 198.
(Formotipula) holoserica Mats., 103, 104, 106, 198.
(**Formotipula**) hypopygialis Alex., 103, 104.
(Formotipula) kiangsuensis Alex., 104.
(Formotipula) laosica Edw., 104.
(Formotipula) lipophleps Edw., 104.
(Formotipula) luteicorporis Alex., 103, 104.

Tipula—Continued.
(Formotipula) melanomera Walk., 103, 104.
(Formotipula) melanopyga Edw., 103, 104.
(Formotipula) nigrorubra Riedel, 104.
(Formotipula) obliterata Alex., 104, 105.
(Formotipula) **omeicola** Alex., **104.**
(Formotipula) rufizona Edw., 103, 104, 198.
(Formotipula) rufoabdominalis Alex., 103, 104.
(Formotipula) rufomedia Edw., 104.
(Formotipula) rufiventris Brun., 104.
(Formotipula) sciariformis Brun., 103, 104.
(Formotipula) **unirubra** Alex., 197.
(Indotipula) Alex., 112.
(Indotipula) Edw., 112.
(Indotipula) acentrota Edw., 114.
(Indotipula) angustilobata Alex., 114.
(Indotipula) brevivittata Edw., 114.
(Indotipula) cinctoterminalis Brun., 113.
(Indotipula) demarcata Brun., 114.
(Indotipula) diclava Alex., 113, 114.
(Indotipula) divisa Brun., 113.
(Indotipula) elegantula Brun., 114.
(Indotipula) fulvipennis Walk., 113.
(Indotipula) fuscoangustata Alex., 114.
(Indotipula) gedehicola Alex., 114.
(Indotipula) gracilis Brun., 113.
(Indotipula) ifugao Alex., 114.
(Indotipula) kinabaluensis Edw., 114.
(Indotipula) korinchiensis Edw., 114.
(Indotipula) latilobata Alex., 114.
(Indotipula) leptoneura Alex., 113, 114.
(Indotipula) leucopyga van der Wulp, 114.
(Indotipula) malaica Edw., 114.
(Indotipula) manobo Alex., 114.
(Indotipula) nudicaudata Edw., 114.
(Indotipula) okinawensis Alex., 114.
(Indotipula) palnica Edw., 114.
(Indotipula) riverai Alex., 114.
(Indotipula) simlensis Edw., 113.
(Indotipula) sinabangensis de Meij., 114.
(Indotipula) subyamata Alex., 113.
(Indotipula) suensoni Alex., 113.
(Indotipula) sulaica Walk., 114.
(Indotipula) tenuipes Brun., 113.
(Indotipula) tukvarensis Edw., 113.
(Indotipula) ubensis Alex., 114.
(Indotipula) vilis Walk., 114.
(Indotipula) walkeri Brun., 113.
(Indotipula) yamata Alex., 113.
(Lunatipula) Edw., 130.
(Lunatipula) absconsa Alex., 131.
(Lunatipula) ampliata Alex., 131.
(Lunatipula) annulicornuta Alex., 130, 131.
(Lunatipula) bicornis, 130.
(Lunatipula) fasciculata Brun., 131.
(Lunatipula) fascipennis, 130.
Tipula—Continued.
(Lunatipula) flaccida Alex., 131.
(Lunatipula) gondattii Alex., 131.
(Lunatipula) holoteles Alex., 130, 131.
(Lunatipula) lamentaria Alex., 131.
(Lunatipula) lunata, 130.
(Lunatipula) macrolabis Loew., 131.
(Lunatipula) manca Alex., 130, 131.
(Lunatipula) marmoratipennis Brun., 130, 131.
(Lunatipula) minensis Alex., 131.
(Lunatipula) multibarbata Alex., 130, 131.
(Lunatipula) multisetosa Alex., 130, 131.
(Lunatipula) naviculifer Alex., 130, 131.
(Lunatipula) nigrobasalis Alex., 131.
(Lunatipula) oreada Alex., 131.
(Lunatipula) pendula Alex., 131.
(Lunatipula) plagiotoma Alex., 131.
(Lunatipula) polypogon Alex., 130, 131.
(Lunatipula) pseudogyne Alex., 130, 131.
(Lunatipula) shogun Alex., 130, 131.
(Lunatipula) sublimitata Alex., 131.
(Lunatipula) subvernalis Alex., 131.
(Lunatipula) tateyamae, 130, 131.
(Lunatipula) terebrina Alex., 131.
(Lunatipula) transfixa Alex., 131.
(Lunatipula) trialbosignata Alex., 131.
(Lunatipula) turanensis Alex., 130, 131.
(Lunatipula) validicornis Alex., 130, 131.
(Lunatipula) variipetiolaris Alex., 131.
(Nippotipula) Edw., 91.
(Nippotipula) coquillett End., 94.
(Nippotipula) **sinica** Alex., **92.**
(Odontotipula) Alex., 100.
(Oreomyza) Edw., 120.
(Oreomyza) aluco Alex., 122.
(Oreomyza) amurensis, 122.
(Oreomyza) amytis Alex., 123.
(Oreomyza) apicispina, 122.
(Oreomyza) arisanensis, 121, 122.
(Oreomyza) autumna Alex., 122.
(Oreomyza) bipendula Alex., 123.
(Oreomyza) borealis, 122.
(Oreomyza) carinifrons Holmgren, 121–123.
(Oreomyza) chernavini Alex., 122.
(Oreomyza) ciliata Lundström, 123.
(Oreomyza) coreana Alex., 122.
(Oreomyza) coxitalis Alex., 121, 122.
(Oreomyza) crassicornis Zetterstedt, 123.
(Oreomyza) crawfordi Alex., 122.
(Oreomyza) cruciata Edw., 123, 127.
(Oreomyza) cupida Alex., 122.
(Oreomyza) curvicauda Alex., 122.
(Oreomyza) depressa Alex., 122.
(Oreomyza) derbecki Alex., 122.
(Oreomyza) dershavini Alex., 122.
(Oreomyza) deserrata Alex., 123.
(Oreomyza) dichroistigma Alex., 122.
(Oreomyza) docilis Alex., 122.
(Oreomyza) dolosa Alex., 123.

Tipula—Continued.
(Oreomyza) edwardsella Alex., 122.
(Oreomyza) **famula** Alex., 122, **123.**
(Oreomyza) fidelis Alex., 122.
(Oreomyza) finitima Alex., 123, 127, 128.
(Oreomyza) flavicosta Edw., 122.
(Oreomyza) flavocostalis Alex., 122.
(Oreomyza) flavolineata, 122.
(Oreomyza) foliacea Alex., 121, 122.
(Oreomyza) fortistyla Alex., 122.
(Oreomyza) futilis Alex., 122, 123.
(Oreomyza) glaucocinerea Lundström, 123.
(Oreomyza) gynaptera Alex., 122.
(Oreomyza) **haplorhabda** Alex., 123, **128.**
(Oreomyza) hibii, 122.
(Oreomyza) hirsutipes Lackschewitz, 123.
(Oreomyza) hylaea Alex., 122.
(Oreomyza) illigitima Alex., 122.
(Oreomyza) isshikii Alex., 122.
(Oreomyza) jedoensis Alex., 123.
(Oreomyza) juneea, 122.
(Oreomyza) kiushiuensis Alex., 122.
(Oreomyza) laetibasis Alex., 122.
(Oreomyza) latiflava Alex., 122, 123, 129.
(Oreomyza) latistriga Edw., 123, 130.
(Oreomyza) legalis Alex., 123, 125.
(Oreomyza) leucosema Edw., 123.
(Oreomyza) leucosticta Edw., 123, 130.
(Oreomyza) limbinervis Edw., 123.
(Oreomyza) lionota Holmgren, 123.
(Oreomyza) longicauda Mats., 122.
(Oreomyza) lundströmiana Alex., 122, 125.
(Oreomyza) macarta Alex., 123.
(Oreomyza) machidai Alex., 122.
(Oreomyza) malaisei Alex., 122.
(Oreomyza) marmorata, 121, 122.
(Oreomyza) matsumuriana Alex., 122.
(Oreomyza) mendax Alex., 122.
(Oreomyza) mesacantha Alex., 122.
(Oreomyza) mitiphora Alex., 122.
(Oreomyza) multistrigata Alex., 123.
(Oreomyza) mupinensis Alex., 123.
(Oreomyza) mutila, 121, 122, 130.
(Oreomyza) mutiloides Alex., 122, 123.
(Oreomyza) mystica Alex., 122.
(Oreomyza) nestor Alex., 122.
(Oreomyza) nigrosignata Alex., 122.
(Oreomyza) nipoalpina Alex., 122.
(Oreomyza) obnata Alex., 122.
(Oreomyza) optanda Alex., 123.
(Oreomyza) otiosa Alex., 122.
(Oreomyza) parvapiculata Alex., 122.
(Oreomyza) pedicellaris Alex., 123.
(Oreomyza) percara Alex., 122, 123.
(Oreomyza) phaeopasta Alex., 122.
(Oreomyza) pluriguttata Alex., 122.
(Oreomyza) politostriata Alex., 122.
(Oreomyza) pollex Alex., 122.

Tipula—Continued.
(Oreomyza) quadrifasciata Mats., 122.
(Oreomyza) quadrifulva Edw., 122.
(Oreomyza) quadrispicata Alex., 122.
(Oreomyza) resupina Alex., 123.
(Oreomyza) **rudis** Alex., 123, **127.**
(Oreomyza) sachalinensis Alex., 122.
(Oreomyza) sempiterna Alex., 122.
(Oreomyza) serta, 124, 125.
(Oreomyza) seticellula Alex., 122.
(Oreomyza) setticellula longiligula Alex., 122.
(Oreomyza) shomio Alex., 123.
(Oreomyza) sibiriensis Alex., 123.
(Oreomyza) stagnicola Holmgren, 123.
(Oreomyza) sternotuberculata Alex., 121, 123.
(Oreomyza) striatipennis Brun., 122, 123.
(Oreomyza) strix Alex., 123.
(Oreomyza) subfutilis Alex., 122, 123.
(Oreomyza) submutila Alex., 122, 123.
(Oreomyza) subyusou Alex., 123.
(Oreomyza) sunda Alex., 122, 123.
(Oreomyza) superciliosa Alex., 123.
(Oreomyza) taikun Alex., 123.
(Oreomyza) tantula Alex., 123.
(Oreomyza) terebrata Edw., 123.
(Oreomyza) tetracantha Alex., 123.
(Oreomyza) tetragramma Edw., 123.
(Oreomyza) **tetramelania** Alex., 123, 125.
(Oreomyza) tridentata Alex., 123.
(Oreomyza) tristraita Lunström, 123.
(Oreomyza) trivittata, 121, 122.
(Oreomyza) trupheoneura Alex., 123.
(Oreomyza) uenoi Alex., 123.
(Oreomyza) unca, 121, 122.
(Oreomyza) variipennis, 122.
(Oreomyza) vitiosa Alex., 123.
(Oreomyza) vivax Alex., 123.
(Oreomyza) westwoodiana Alex., 122, 123.
(Oreomyza) yusou Alex., 123.
(Oreomyza) yusouoides Alex., 123.
(Papuatipula) Alex., 114.
(Papuatipula) dentata de Meij., 115.
(Papuatipula) divergens de Meij., 115.
(Papuatipula) divergens de Meij., 115.
(Papuatipula) leucosticta Alex., 115.
(Papuatipula) meijereana Alex., 115.
(Papuatipula) novae-britannicae Alex., 115.
(Papuatipula) omissinervis (de Meij.), 115.
(Schummelia) Edw., 101.
(Schummelia) acifera Alex., 102.
(Schummelia) angustiligula Alex., 102.
(Schummelia) bidenticulata Alex., 102.
(Schummelia) chumbiensis Edw., 102.
(Schummelia) continuata Brun., 102.
(Schummelia) cylindrostylata Alex., 102.
(Schummelia) demarcata Brun., 102.
(Schummelia) ecaudata Alex., 102.

Tipula—Continued.
(Schummelia) esakiana Alex., 102.
(Schummelia) hampsoni Edw., 102.
(Schummelia) honorifica Alex., 102.
(Schummelia) imanishii Alex., 102.
(Schummelia) inconspicua de Meij., 102.
(Schummelia) indifferens Alex., 102.
(Schummelia) indiscreta Alex., 102.
(Schummelia) insulicola Alex., 102.
(Schummelia) insulicola fuscicauda Alex., 102.
(Schummelia) jocosipennis Alex., 102.
(Schummelia) klossi Edw., 102.
(Schummelia) macrotrichiata Alex., 101, 102.
(Schummelia) microcellula Alex., 102.
(Schummelia) nigrocellula Alex., 102.
(Schummelia) nikkoensis Alex., 102.
(Schummelia) nipponensis Alex., 102.
(Schummelia) pendleburyi Edw., 102.
(Schummelia) picticornis (Brun.), 102.
(Schummelia) pumila de Meij., 102.
(Schummelia) querula Alex., 102.
(Schummelia) rantaicola Alex., 102.
(Schummelia) rhombica Edw., 102.
(Schummelia) robinsoni Edw., 102.
(Schummelia) salakensis Alex., 102.
(Schummelia) sessilis Edw., 102.
(Schummelia) sparsiseta Alex., 102.
(Schummelia) sparsissima Alex., 102.
(Schummelia) strictiva Alex., 102.
(Schummelia) variicornis Schummel, 102.
(Schummelia) variicornis latiligula Alex. 102.
(Schummelia) vitalisi Edw., 102.
(Schummelia) xanthopleura Edw., 102.
(Sinotipula) bodpa Edw., 95.
(Sinotipula) brunettiana Alex., 95.
(Sinotipula) cranbrooki Edw., 95.
(Sinotipula) exquisita Alex., 95.
(Sinotipula) gloriosa Alex., 95, 97, 99.
(Sinotipula) gregoryi Edw., 95–97.
(Sinotipula) griseipennis Brun., 95.
(Sinotipula) hobsoni Edw., 95.
(Sinotipula) persplendens Alex., 95, 99.
(Sinotipula) sindensis Alex., 95.
(Sinotipula) splendens Brun., 95.
(Sinotipula) tessellatipennis Brun., 95.
(Sinotipula) thibetana de Meij., 95, 97, 99.
(Sinotipula) trilobata Edw., 95, 97, 98.
(Sinotipula) waltoni Edw., 95, 97.
(Sinotipula) wardi Edw., 95.
(Tipula) Alex., 115.
(Tipula) Edw., 106.
(Tipula) czizeki de Jong, 107.
(Tipula) luteipennis, 106.
(Tipula) mediolabata Alex., 107.
(Tipula) moiwana (Mats.), 107.
(Tipula) oleracea, 107.
Tipula—Continued.
(Tipula) subcunctans Alex., 107.
(Tipula) ultima, 106.
(Tipulina) breviceps Motsch., 86.
(Tipulodina) Edw., 115.
(Tipulodina) aetherea de Meij., 116.
(Tipulodina) albiprivata Edw., 116.
(Tipulodina) brarraudi Edw., 116.
(Tipulodina) brunnettiella Alex., 116.
(Tipulodina) cagayanensis Alex., 116.
(Tipulodina) ceylonica Edw., 116.
(Tipulodina) cinctipes de Meij., 116.
(Tipulodina) contigua Brun., 116.
(Tipulodina) deprivata Alex., 116.
(Tipulodina) fumifinis Walk., 116.
(Tipulodina) fuscitarsis Edw., 116.
(Tipulodina) gracillima Brun., 116.
(Tipulodina) joana Alex., 116.
(Tipulodina) lumpurensis Edw., 116.
(Tipulodina) luzonica Alex., 116.
(Tipulodina) magnicornis End., 116.
(Tipulodina) mckeani Ckll., 116.
(Tipulodina) micracantha Alex., 116.
(Tipulodina) monozona Edw., 116.
(Tipulodina) nipponica Alex., 116.
(Tipulodina) pampangensis Alex., 116.
(Tipulodina) patricia Brun., 116.
(Tipulodina) pedata Wied., 116.
(Tipulodina) sandersoni Edw., 116.
(Tipulodina) scimitar Alex., 116.
(Tipulodina) sidapurensis Edw., 116.
(Tipulodina) simillima Brun., 116.
(Tipulodina) succinipennis Alex., 116.
(Tipulodina) tabuanensis Alex., 116.
(Tipulodina) taiwanica Alex., 116.
(Tipulodina) tinctipes Edw., 116.
(Tipulodina) varitarsis Alex., 116.
(Tipulodina) venusta Walk., 116.
(Trichotipula) Alex., 110.
(Trichotipula) haplotricha Alex., 101.
(Trichotipula) polytricha Alex., 101.
(Vestiplex) Alex., 117.
(Vestiplex) Bezzi, 117.
(Vestiplex) Edw., 117.
(Vestiplex) aquilonia Erichs., 119.
(Vestiplex) arctica Curt., 117, 119.
(Vestiplex) arisanensis, 118.
(Vestiplex) asio Alex., 118.
(Vestiplex) avicularia Edw., 119.
(Vestiplex) bicornuta Alex., 118.
(Vestiplex) bifida Alex., 119.
(Vestiplex) biserra Edw., 118.
(Vestiplex) brevis Brun., 119.
(Vestiplex) coquilletiana Alex., 118.
(Vestiplex) coxitalis, 118.
(Vestiplex) deserrata, 118.
(Vestiplex) divisotergata Alex., 119.
(Vestiplex) edentata Alex., 119.
(Vestiplex) excisoides Alex., 118.
(Vestiplex) foliacea, 118.
(Vestiplex) gedehana de Meij., 119.
(Vestiplex) grahami Alex., 119.

Tipula—Continued.
(Vestiplex) hendini Alex., 119.
(Vestiplex) himalayensis Brun., 118, 119.
(Vestiplex) hummeli Alex., 119.
(Vestiplex) immota Alex., 119.
(Vestiplex) immunda Alex., 118.
(Vestiplex) inaequidentata Alex., 118, 119.
(Vestiplex) jakut Alex., 118.
(Vestiplex) kamtchatkana Alex., 118.
(Vestiplex) kuwanhsienana Alex., 119.
(Vestiplex) kuwayamai Alex., 118.
(Vestiplex) leucoprocta Mik., 119.
(Vestiplex) mediovittata Mik., 119.
(Vestiplex) mitchelli Edw., 119.
(Vestiplex) nestor, 118.
(Vestiplex) nigroapicalis Brun., 119.
(Vestiplex) nokonis Alex., 118.
(Vestiplex) optanda, 118.
(Vestiplex) pallitergata Alex., 118.
(Vestiplex) papandajanica Edw., 119.
(Vestiplex) parvapiculata, 118.
(Vestiplex) pleuracantha Edw., 119.
(Vestiplex) quadrifulva, 118.
(Vestiplex) quasimarmoratipennis Brun., 119.
(Vestiplex) reposita Walk., 119.
(Vestiplex) scandens Edw., 119.
(Vestiplex) serricauda Alex., 118.
(Vestiplex) serridens Alex., 118.
(Vestiplex) sternotuberculata, 118.
(Vestiplex) styligera Alex., 119.
(Vestiplex) subapterogyne Alex., 118.
(Vestiplex) subcarinatæ Alex., 119.
(Vestiplex) subcentralis Alex., 118.
(Vestiplex) subscripta Edw., 119.
(Vestiplex) subtincta Brun., 119.
(Vestiplex) tardigrada Edw., 119.
(Vestiplex) tchukchi Alex., 118.
(Vestiplex) terebrata, 118.
(Vestiplex) teshionis Alex., 118.
(Vestiplex) testata Alex., 119, 120.
(Vestiplex) transbaikalica Alex., 118.
(Vestiplex) tumulta Alex., 119.
(Vestiplex) tundrensis, 118.
(Vestiplex) verecunda Alex., 118.
(Vestiplex) virgatula Riedel, 119.
(Yamatotipula) Edw., 107.
(Yamatotipula) aino Alex., 108.
(Yamatotipula) fumida Alex., 108.
(Yamatotipula) fumifasciata Brun., 108.
(Yamatotipula) latemarginatæ Alex., 108.
(Yamatotipula) mongolica Alex., 108.
(Yamatotipula) morigera Alex., 108.
(Yamatotipula) nohirai Mats., 108.
(Yamatotipula) nova Walk., 108.
(Yamatotipula) parvincisa Alex., 108.
(Yamatotipula) patagiata Alex., 108.
(Yamatotipula) poliocephala Alex., 108.
(Yamatotipula) protrusa Alex., 108.
(Yamatotipula) stackelbergi Alex., 108.
(Yamatotipula) subsulphurea Alex., 108.
Tipula—Continued.
(Yamatotipula) trifida Alex., 108.
(Yamatotipula) usuriensis Alex., 108.
(Yamatotipula) yamamuriana Alex., 108.
Tipulidæ, 81, 195, 197; from eastern Asia, 195.
Tipulinæ, 81, 197.
Tipulodina Brun., 115.
End., 83, 84, 114, 115, 116.
magnicornis End., 115.
Tipuloidea, 195.
TOKUNAGA, MASAAKI, Chironomidæ from Japan (Diptera), IV: The early stages of a marine midge, Telmatogeton japonicus Tokunaga, 491.
Tonista Bol., 398.
bicolor (De Haan), 398.
TOPACIO, TEODULO, Glycerinated rinderpest vaccine stored at room temperature, 427.
Treatment of human beriberi with crystalline antineuritic vitamin, 277.
Trematodes, heterophyid, from the Philippines, 443.
Trichocera arisanensis Alex., 195.
flava Brun., 197.
Trichoceridæ, 195, 196.
Trichotipula Alex., 83, 100, 101, 102.
Trilophidia Stål, 390.
annulata (Thunb.), 390, 391.
cristella Stål, 391.
Trout, 455.
lake, 455.
rainbow, 455.
Trutta locustris, 455.
vulgaris, 455.
Turbot, 455.
Two more new heterophyid trematodes from the Philippines, 443.

U

Ube, 270.
UICHANCO, JOSÉ B., The methylene blue reduction test: its efficiency and interpretation under Philippine conditions, 295.
Ulva pertusa, 492, 495, 496.
Uranotaenia, 63, 76.
annandalei Barraud, 63, 64, 77.
arguellesi Baisas, 64, 68, 77.
argyrotarsis Leic., 63, 65, 67, 77.
atra Theo., 63, 65, 66, 76, 77.
caeruleocephala var. atra, 63.
caeruleocephala var. lateralis, 63.
delae Baisas, 64, 66, 73, 76, 77.
falcipes, 64.
heiseri Baisas, 64, 72, 77.
inontata Dyar and Shannon, 63.
lagunensis Baisas, 64, 70, 76.
ludlowae Dyar and Shannon, 64, 66, 77.

Uranotaenia—Continued.
mediolai Baisas, 64, 71, 77.
nivipes Theo., 63.
parangensis, 67.
pygmaea Theo., 63.
reyi Baisas, 64, 66, 74, 75, 77.
testacea Theo., 64, 67, 76.
tubanguii Baisas, 64, 69, 70, 76.

V

Vaccine, glycerinated rinderpest, 427.
VAZQUEZ-COLET, ANA. The pasteur antirabic treatment at the Bureau of Science, Manila, 435.
Vestiplex Bezzi, 83, 84, 86, 117, 118, 121.
Vigna hybrid, 152, 154, 155, 156, 157.
sesquipedalis Fruw., 149.
sinensis Endl., 149, 158, 162.
Vitamin, crystalline antineuritic, in the treatment of human beriberi, 277.
Vitis, 365.
Vittatae, 107.

W

Wall eye, 455.
Wax, coconut-oil, products from, 423.
White paayap, 150.
White-clay deposits in Siruma Peninsula, Camarines Sur, Luzon, 227.

X

Xenococcus, 336.
Xiphidion Serv., 403.
affine Redtb., 403.
maculatum Le Guillon, 404.
Xistra Bol., 384.
Xyleborus coffeae (Menzel), 370.
Xylechinus **formosanus** Schedl, 479.

Y

Yamatotipula Mats., 83–86, 107, 108.
nohirae Mats., 107.

Z

Zea mays Linn., 270.